



Oregon Medical Group – Imaging
 920 Country Club Road Ste 100A
 Eugene, OR 97401
 541-242-4162

MAGNETIC RESONANCE (MR) ENVIRONMENT SCREENING FORM FOR INDIVIDUALS*

The MR system has a very strong magnetic field that may be hazardous to individuals entering the MR environment or MR system room if they have certain metallic, electronic, magnetic, or mechanical implants, devices, or objects. Therefore, all individuals are required to fill out this form BEFORE entering the MR environment or MR system room. Be advised, the MR system magnet is ALWAYS on.

***NOTE: If you are a patient preparing to undergo an MR examination, you are required to fill out a different form.**

Name: _____ Date: _____

1. Have you had prior surgery or an operation (e.g., arthroscopy, endoscopy, etc.) of any kind? No Yes
 If yes, please indicate date and type of surgery: Date ___/___/___ Type of surgery _____
2. Have you had an injury to the eye involving a metallic object (e.g., metallic slivers, foreign body)? No Yes
 If yes, please describe: _____
3. Have you ever been injured by a metallic object or foreign body (e.g., BB, bullet, shrapnel, etc.)? No Yes
 If yes, please describe: _____
4. Are you pregnant or suspect that you are pregnant? No Yes

WARNING: Certain implants, devices, or objects may be hazardous to you in the MR environment or MR system room. Do not enter the MR environment or MR system room if you have any question or concern regarding an implant, device, or object.

Please indicate if you have any of the following:

- Yes No Aneurysm clip(s)
- Yes No Cardiac pacemaker
- Yes No Implanted cardioverter defibrillator (ICD)
- Yes No Electronic implant or device
- Yes No Magnetically-activated implant or device
- Yes No Neurostimulation system
- Yes No Spinal cord stimulator
- Yes No Cochlear implant or implanted hearing aid
- Yes No Insulin or infusion pump
- Yes No Implanted drug infusion device
- Yes No Any type of prosthesis or implant
- Yes No Artificial or prosthetic limb
- Yes No Any metallic fragment or foreign body
- Yes No Any external or internal metallic object
- Yes No Hearing aid
- Yes No Other Implant _____
- Yes No Other Device _____

IMPORTANT INSTRUCTIONS

Remove all metallic objects before entering the MR environment or MR system room including hearing aids, beeper, cell phone, keys, eyeglasses, hair pins, barrettes, jewelry (including body piercing jewelry), watch, safety pins, paperclips, money clip, credit cards, bank cards, magnetic strip cards, coins, pens, pocket knife, nail clipper, steel-toed boots/shoes, and tools. Loose metallic objects are especially prohibited in the MR system room and MR environment.

Please consult the MRI Technologist or Radiologist if you have any question or concern BEFORE you enter the MR system room.

I attest that the above information is correct to the best of my knowledge. I have read and understand the entire contents of this form and have had the opportunity to ask questions regarding the information on this form.

Signature : _____ Date ___/___/___